




QTY	P/N	DESCRIPTION
1	C20-600	BELL CRANK
1	C20-660	BELL CRANK INSERT



C20-600A BELL CRANK ASSEMBLY



- NOTES:
- 1) MATERIAL: N/A
- 2) HEAT TREAT: N/A
- 3) FINISH: NICKEL PLATE PER MIL-C-26074 CLASS 1/2 GRADE B OR SAE-AMS-QQ-N-290 CLASS 1 GRADE E/F OR ASTM B733 TYPE 4/5 SC2
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: N/A
- 7) IDENTIFICATION: N/A

D	REFER TO REV. 3 FOR CHANGES MADE IN PREVIOUS REVISIONS UPDATED DRAWING TEMPLATE AND REORGANIZED VIEWS		HB ECR 234	KPT
	C20-600A REVISED FINISH NOTE C20-600 REVISED FINISH NOTE. ADDED NOTES 8 AND 9. REMOVED 39° DIMENSION AND ADDED 21.0° FOR EASIER INSPECTION. C20-660 REVISED FINISH NOTE. ADDED NOTES 8 AND 9.			
REV.	DESCRIPTION		ECN #	BY
DESIGN	CFS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	KPT			
CHECKED	RF	TOOL P/N		REV. D2
MFG. APPR.	FK	C20-600A		SHEET 1 OF 3
APPROVED	SAD	TITLE	SCALE NTS	
DATE	22.04.29	BELL CRANK ASSEMBLY		
COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.				

